# 24/7 Emergency Operation Center for Flood, Storms and Landslide

DATE: Monday, October 17, 2011	TIME: 09.00	LOCATION: Disaster Relief Operation Center at Don Mueang Airport
CHAIRPERSON: Mr. Wiboon Sanguar	npona. Director-G	eneral of Department of Disaster Prevention and Mitigation

## 1. CURRENT SITUATION

- 1.1 Current flooded provinces: there are 27 recent flooded provinces: Sukhothai, Phichit, Phitsanulok, Nakhon Sawan, Uthai Thani, Chai Nat, Sing Buri, Ang Thong, Phra Nakhon Si Ayutthaya, Lopburi, Suphan Buri, Nakhon Pathom, Pathumthani, Nonthaburi, Ubon Ratchathani, Khon Kaen, Chacheongsao, Nakhon Nayok, Prachinburi, Srisaket, Roi-et, Kumpangpetch, Ratchaburi, Tak, Surin, Mahasarakham, and Samutsakhon. The total of 186 Districts, 1,463 Sub-Districts, 10,999 Villages, 779,522 families and/or 2,320,169 people are affected by the flood. The total fatalities are 307 deaths and 3 missing. (Missing: 1 in Mae Hong Son, 1 in Uttaradit, and 1 Khon Kaen)
- **1.2** Amount of Rainfall: The heaviest rainfall in the past 24 hours is in Thung Yai Sub-District, Kantaraluck District, Srisakes Province at 156.5 mm.

### 1.3 Estimate Losses and Damages:

1.3.1 <u>Agricultural impact</u> : Farming areas which would be affected are estimated at 10,209,891 rai; 158,741 rai of fish/shrimp ponds and over 12.3 million of livestock (source: Ministry of Agriculture and Cooperatives).

## 1.3.2 <u>Transportation Routes</u> :

Highway:

75 main highways in 18 provinces are flooded and cannot be passed. For more information, contact 1568 or DDPM Hotline 1784.

Rural roads:192 rural roads in 29 provinces are not passable. Additional inquiry, call 1146.Railways:All the 18 North-bound routes are cancelled. For the Northeastern - bound routes<br/>are diverted to Bangkok - Mukkasan - Chaseongsao - Kang Khoi Junction where<br/>passengers can change either to Nong Khai Province Station or Ubon Ratchathani<br/>Province Station. Due to the railways repairing and improvement and wrench<br/>changing, the railway from Chongtai Station to Kang Sue Ten Station will be<br/>terminated from October 15 2011 to 14 February 2012. For more information,<br/>contact State Railway of Thailand's Hotline 1690.

### Expressway Authority of Thailand

Express way out bound to Chiang Rak-Thammasat University, Rangsit Campus, small cars cannot pass due to 30 c.m. - inundated – road. For more information, contact EXAT Call Center 1543 24 hrs.

24/7 Emergency Operation Center for Flooding, Storm and Landslide (Don Mueang Airport)

TEL: 02 504 3563, 02 504 3584 FAX: 02 504 3584 EMAIL: dpm\_eoc@yahoo.com

(24 hrs. line) TEL: 02 637 3580-5 FAX: 02 241 7450-6 HOT LINE: 1784 EMAIL: operation@nirapai.com WEBSITE: www.disaster.go.th

1.4.1 1.4.2 1.4.3	Thong - Tak Pha and Takli District of Nakhon Sawan Province. For more inform contact Hotline 1490 24 hrs. ant Assistance Provision The Military mobilized a wide range of resources to the flood affected areas, including immediate relief pro- search and rescue operation, medical care service provision; preparation of sandbags; propelling of wate the sea; preparation of aircrafts for relief items transportation and public notification; and excavation of all and canals to accelerate the water drainage in Bangkok, Samut Prakarn, Chaseongsao, Nonth Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. The Department of Provincial Administration received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. Ministry of Natural Resources and Environment investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water ca
1.4.1 1.4.2 1.4.3	ant Assistance Provision The Military mobilized a wide range of resources to the flood affected areas, including immediate relief pro- search and rescue operation, medical care service provision; preparation of sandbags; propelling of wate the sea; preparation of aircrafts for relief items transportation and public notification; and excavation of all and canals to accelerate the water drainage in Bangkok, Samut Prakarn, Chaseongsao, Nonth Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. The Department of Provincial Administration received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. Ministry of Natural Resources and Environment investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water car
1.4.1 1.4.2 1.4.3	The Military mobilized a wide range of resources to the flood affected areas, including immediate relief pro- search and rescue operation, medical care service provision; preparation of sandbags; propelling of wate the sea; preparation of aircrafts for relief items transportation and public notification; and excavation of all and canals to accelerate the water drainage in Bangkok, Samut Prakarn, Chaseongsao, Nonth Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. The Department of Provincial Administration received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. Ministry of Natural Resources and Environment investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water car
1.4.2	search and rescue operation, medical care service provision; preparation of sandbags; propelling of wate the sea; preparation of aircrafts for relief items transportation and public notification; and excavation of all and canals to accelerate the water drainage in Bangkok, Samut Prakarn, Chaseongsao, Nonth Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. <b>The Department of Provincial Administration</b> received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. <b>Ministry of Natural Resources and Environment</b> investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water car
1.4.2 1.4.3	the sea; preparation of aircrafts for relief items transportation and public notification; and excavation of all and canals to accelerate the water drainage in Bangkok, Samut Prakarn, Chaseongsao, Nonth Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. <b>The Department of Provincial Administration</b> received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. <b>Ministry of Natural Resources and Environment</b> investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Departm pollution Control has managed to treatment water around the factory. However, the flood water ca
1.4.2	and canals to accelerate the water drainage in Bangkok, Samut Prakarn, Chaseongsao, Nonth Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. <b>The Department of Provincial Administration</b> received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. <b>Ministry of Natural Resources and Environment</b> investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water ca
1.4.2 1.4.3	Pathumthani, Phra Nakhon Si Ayutthaya, Pitsanuloke, Pichit, Uttaradit, Uthai Thani, Singburi, Ang Thong Lopburi Province. <b>The Department of Provincial Administration</b> received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. <b>Ministry of Natural Resources and Environment</b> investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water car
1.4.2	Lopburi Province. The Department of Provincial Administration received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. Ministry of Natural Resources and Environment investigated the explosion of Majend Maxis Co,Ltd., the p lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Departm pollution Control has managed to treatment water around the factory. However, the flood water ca
1.4.2	The Department of Provincial Administration received 1,318 petitions from 16 provinces and 1,201 of which already been solved since 9-16 October, 2011. Ministry of Natural Resources and Environment investigated the explosion of Majend Maxis Co,Ltd., the plens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Department pollution Control has managed to treatment water around the factory. However, the flood water can
1.4.3	already been solved since 9-16 October, 2011. <b>Ministry of Natural Resources and Environment</b> investigated the explosion of Majend Maxis Co,Ltd., the plens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Departm pollution Control has managed to treatment water around the factory. However, the flood water can
1.4.3	Ministry of Natural Resources and Environment investigated the explosion of Majend Maxis Co,Ltd., the plens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Departm pollution Control has managed to treatment water around the factory. However, the flood water can
	lens, batteries and circuit boards manufacturer, which can be poisonous to water source. The Departm pollution Control has managed to treatment water around the factory. However, the flood water ca
	pollution Control has managed to treatment water around the factory. However, the flood water ca
	contaminated. Industrial Works Department together with Department of Labour Protection and Welfare
	Industrial Estate Authority of Thailand are going to treat the contaminated and polluted water. One
	DASTABAll for water treatment have been sent to the inundated areas.
1.4.4	Ministry of Public Health dispatched mobile Medical Services Team and provided medicines & supplies f
,	victims.
1.4.5	Emergency Medical Institute of Thailand facilitated and supported the EMS operation via aircraft, boats
	cars to transfer trauma patients.
1.4.6	Department of Public Relations established flood victim assistance center to disseminate, and notify
:	situation and flood warning to the public, as well as all efforts undertaken by the government, including dor
	hotline 1111 # 5, and live broadcast of the press conference at The Flood Relief Operation Center daily.
1.4.7	Department of Water Resources provided water distributors at 36 spots in 15 affected provinces.

October, lower temperature at 2-4 c with 20 c minimum can be expected in the North, and Northest.

- 2.2 Royal Irrigation Department (RID): The inundation remains in 25 provinces, and likely to decrease.
  - The North Basins (Ping, Yom and Nan basin): There are still river runoff in many areas, but likely to decrease.
  - The Lower North Basins (Sakaekrang, and Pasak basin): Inundation remains, and likely to increase in Uthaithani Province. The inundation at Pasak River is decreasing.

24/7 Emergency Operation Center for Flooding, Storm and Landslide (Don Mueang Airport)

TEL: 02 504 3563, 02 504 3584 FAX: 02 504 3584 EMAIL: dpm\_eoc@yahoo.com

(24 hrs. line) TEL: 02 637 3580-5 FAX: 02 241 7450-6 HOT LINE: 1784 EMAIL: operation@nirapai.com WEBSITE: www.disaster.go.th

2. SI	2. SITUATION ASSESSMENT/FORECAST (CON'T)		
	• The Northeastern Basins (Mun and Chi basin): Inundation is reported in many areas, and most have tendency to		
	decrease in Buriram, Surin, Sri Saket, Nakhonratchasima, Kalasin and Ubon Ratchathani Province.		
	• The Eastern Basin (Prachinburi basin): Inundation remains, and likely to decrease.		
	• The Central Basins (Thachine and Chao Phraya basin): Water runoff is reported and keeps increasing in lowland		
	areas of Uthaithani, Chainat, Singburi, Lopburi, Ang Thong, Suphan Buri, Ayutthaya, Saraburi, Pathumthani, ar		
	Nonthaburi Province.		
	<u>The capacity of Major Dams:</u>		
	Bhumibol Dam: it reached 99 Percent of retention capacity.		
	Sirikit Dam: it reached 99 Percent of retention capacity.		
	Kwae Noi Dam: it reached 100 Percent of retention capacity.		
	Pasak Dam: it reached 136 Percent of retention capacity.		
	Ubonrat Dam (Khon Kaen Province): it reaches 120 Percent of retention capacity.		
	Lampao Dam (Kalasin Province) : it reaches 100 Percent of retention capacity.		
2.3	Bangkok Metropolitan Administrative (BMA) In the past 24 hrs., the heaviest rainfall was at Prawes District at 86.0 mm.		
	On October 17, the highest sea level is expecting at 09.59 a.m. The highest water level of Chao Phraya River is 2.11 m.,		
	which will not affect the inner area of the BMA. For the outer areas of the flood prevention wall, including Meenburi, Nong		
	Jok, Lad Krabang, and Khlong Sam Wa District, BMA has constructed sand bag wall at Rangsit Prayunsak Canal for 3		
	km. and 1.50 m. in height, coupled with water pumps and staff operated 24 hrs. For more information, contact 0-2248-		

5115 or BMA Hotline 1555, or <u>http://dds.bangkok.go.th</u>.2.4 Hydrographic Department of the Royal Thai Navy is expecting the sea level rises twice at 09.59 a.m. and 19.43 p.m. at

2.11 m.. The highest sea level is expecting again form October 27-31, 2011 at 2.30 – 2.35 m.

24/7 Emergency Operation Center for Flooding, Storm and Landslide (Don Mueang Airport)

TEL: 02 504 3563, 02 504 3584 FAX: 02 504 3584 EMAIL: dpm\_eoc@yahoo.com

(24 hrs. line) TEL: 02 637 3580-5 FAX: 02 241 7450-6 HOT LINE: 1784 EMAIL: operation@nirapai.com WEBSITE: www.disaster.go.th